Austral™
Clothes Hoists

AUSTRALIAN MADE 100% AND OWNED

Why buy Austral Clotheslines?

Austral Clothes Hoists is the only ClotheslineCompany continuing to support Australian Industry through the manufacture of all products in Australia.

- Extensive range of Clothesline models and sizes
- Structural components made of Australian BlueScope® Galvabond® Steel to ensure product reliability
- Plastics and Cord are manufactured in Australia
- 10 Year Structural Warranty
- Warehouse facilities in every mainland State of Australia for immediate despatch
- Offices located in each State for service and installation enquiries



Retract Away 40

- Prompt reliable service
- Spare parts for current and past models are readily available
- Specialized Colour Powdercoating service available
- Australian Made and Owned since 1987



Original Super Galvanized Rotary



Add-A-Line Fold Down

Thank you for supporting
100% Australian Made and Owned!

Oz. Clotheslines & Letterboxes

Oz Clotheslines & Letterboxes

0449 228 204

bron@clotheslinesletterboxes.com.au

www.clotheslinesletterboxes.com.au

FOLD DOWN LINES



FOLD DOWN WALL MOUNTS

3 depths x 3 lengths – A variety of options to suit all requirements.

The Fold Down front bars ***may be reduced in length*** during installation, if a shorter distance is required.
The cut ends of the front bar are inserted into the corner tube.

Fold Down Wall Mounts include masonry and timber fittings.
Please seek advice if fixing to alternative surfaces i.e. hebel, blue board etc.

FOLD DOWN GROUND MOUNT KITS

Are available in 1.3m; 2.4m and 3.3m lengths in standard and plated post options (for hard surface fixing).

Standard Ground Mount Kits include 2 upright posts, back bar and post fittings.
Plated Ground Mount Kits include 2 upright posts with welded base plates, back bar and post fittings but do not include masonry fittings for base.

The Ground mount posts are multi – punched for ease of fixing or height adjustment.

See pages 10-11 for further information.

Oz Clotheslines & Letterboxes

Austral Clothes Hoists

All Fold Downs have *Pre-Assembled Side Arms* for easy fixing onto the wall or to attach to an Austral Ground Mount Kit.

It has never been easier to install an Austral Fold Down Clothes Line.





Stronger, steel construction – *No plastic corners or brackets*!

All Austral Fold Down Clothes Lines have **Pre-Assembled side arms.**

Remove left and right Side Arms from the box and using the fittings provided, bolt onto the wall or the upright posts if using a Ground Mount Kit option.

- ***Save time on assembly.***
- ***Save money on installation.***
- ***Easy customer DIY.***

www.clotheslinesletterboxes.com.au

ADD-A-LINE FOLD DOWN

(Optional Plated and Ground Mount Kits available)



The Add-A-Line has dual folding frames.
Both frames may be used independently and both frames fold down.

Add-A-Line has 15 lines = 35.7m line space
Front frame: 90cm deep with 8 lines; Back frame: 60cm deep with 7 lines.
Line spacing: 13.5cm for wider spacing; 6.5cm for narrower spacing.

FRAME SIZE	LINE SPACE	AREA REQUIRED	SUITS
2.4m W x 1.5m D	35.7 m (for both frames)	2.5m x 1.8m	1-5 people

PRODUCT	DESCRIPTION	APN	VPN
Add-A-Line	Wall Mount Classic Cream	9315384000012	ADDCC
Add-A-Line	Wall Mount Woodland Grey	9315384 000005	ADDWG
Add-A-Line	Wall Mount Spec. Col. (POA)	9315384200320	ADDSPC
Ground Mt. Kit2.4m	Classic Cream	9315384000135	GMKCC
Ground Mt. Kit 2.4m	Woodland Grey	9315384000128	GMKWG
Ground Mt. Kit2.4m	Special Colour (POA)	9315384210268	GMKSPC
Gr/Mt Kit Plated2.4m	Classic Cream	9315384000159	GMKPLCC
Gr/Mt Kit Plated2.4m	Woodland Grey	9315384000142	GMKPLWG
Gr/Mt Kit Plated2.4m	Special Colour (POA)	9315384210350	GMKPLSPC

Hills equivalent:

Large Double Folding	2.2 x 1.2m = 23m line	9311313236088	100521

STANDARD FOLD DOWN

(Optional Plated or Ground Mount Kits available)



Single folding frame suitable for a large family.
This is the same sized frame as an Add-a-line.

Standard has 12 lines = 28.5m of line space
Line spacing: 13.5cm for wider spacing; 6.5cm for narrower spacing.

FRAME SIZE	LINE SPACE	AREA REQUIRED	SUITS
2.4m W x 1.5m D	28.5 m	2.5m x 1.8m	1-4 people

PRODUCT	DESCRIPTION	APN	VPN
Standard	Wall Mount Classic Cream	9315384000036	STDCC
Standard	Wall Mount Woodland Grey	9315384000029	STDWG
Standard	Wall Mount Spec. Col. (POA)	9315384200405	STDSPC
Ground Mt. Kit2.4m	Classic Cream	9315384000135	GMKCC
Ground Mt. Kit 2.4m	Woodland Grey	9315384000128	GMKWG
Ground Mt. Kit2.4m	Special Colour (POA)	9315384210268	GMKSPC
Gr/Mt Kit Plated2.4m	Classic Cream	9315384000159	GMKPLCC
Gr/Mt Kit Plated2.4m	Woodland Grey	9315384000142	GMKPLWG
Gr/Mt Kit Plated2.4m	Special Colour (POA)	9315384210350	GMKPLSPC
Hills equivalent:			
Large Single Folding	2.2 x 1.2m = 21m line	9311313236101	100523

COMPACT FOLD DOWN

(Optional Plated or Ground Mount Kits available)



A compact version of the Standard Fold Down. The Compact has the same amount of line space as the Standard on a smaller frame - ideal for courtyards and apartments.

When folded, the bottom of the Compact frame reaches about hip height which makes it a perfect line for aged or physically impaired residents.

Compact has 12 lines = 28.5m of line space. This line offers the maximum amount of line space due to closer line placement.
Line spacing: 6.5cm apart.

Your customer has the option of using each line during the summer months and perhaps spanning clothes over two lines through winter. More line space allows your customer greater drying flexibility.

FRAME SIZE	LINE SPACE	AREA REQUIRED	SUITS
2.4m W x 0.94mD	28.5 m	2.5m x 1.3m	1-4 people

PRODUCT	DESCRIPTION	APN	VPN
Compact	Wall Mount Classic Cream	9315384000050	COMPCC
Compact	Wall Mount Woodland Grey	9315384000043	COMPWG
Compact	Wall Mount Spec. Col. (POA)	9315384200542	COMPSPC
Ground Mt. Kit2.4m	Classic Cream	9315384000135	GMKCC
Ground Mt. Kit 2.4m	Woodland Grey	9315384000128	GMKWG
Ground Mt. Kit2.4m	Special Colour (POA)	9315384210268	GMKSPC
Gr/Mt Kit Plated2.4m	Classic Cream	9315384000159	GMKPLCC
Gr/Mt Kit Plated2.4m	Woodland Grey	9315384000142	GMKPLWG
Gr/Mt Kit Plated2.4m	Special Colour (POA)	9315384210350	GMKPLSPC

Hills equivalent:
No equivalent available

SLENDERLINE 16 FOLD DOWN

(Optional Plated or Ground Mount Kits available)



Suitable for long narrow areas.

The Slenderline16 has 6 lines = 14.4m line space
Line spacing: 6.5cmapart.

FRAME SIZE	LINE SPACE	AREA REQUIRED	SUITS
2.4mW x 0.60mD	14.4 m	2.5m x 0.8m	1-2 people

PRODUCT	DESCRIPTION	APN	VPN
Slenderline 16	Wall Mount Classic Cream	9315384000074	SL16CC
Slenderline 16	Wall Mount Woodland Grey	9315384000067	SL16WG
Slenderline 16	Wall Mount Spec. Col. (P.O.A.)	9315384200641	SL16SPC
Ground Mt. Kit2.4m	Classic Cream	9315384000135	GMKCC
Ground Mt. Kit 2.4m	Woodland Grey	9315384000128	GMKWG
Ground Mt. Kit2.4m	Special Colour (POA)	9315384210268	GMKSPC
Gr/Mt Kit Plated2.4m	Classic Cream	9315384000159	GMKPLCC
Gr/Mt Kit Plated2.4m	Woodland Grey	9315384000142	GMKPLWG
Gr/Mt Kit Plated2.4m	Special Colour (POA)	9315384210350	GMKPLSPC

Hills equivalent:

Compact folding	2.2m x 0.6m = 12m line	9311313236132	100526

SLENDERLINE 20 FOLD DOWN

(Optional Plated or Ground Mount Kits available)



Suitable for long narrow areas.

Slenderline 20 has 6 lines = 19.8m line space.
Line spacing: 6.5cm apart.

FRAME SIZE	LINE SPACE	AREA REQUIRED	SUITS
3.3mW x 0.60mD	19.8 m	3.5m x 0.8m	1-2 people

PRODUCT	DESCRIPTION	APN	VPN
Slenderline 20	Wall Mount Classic Cream	9315384000098	SL20CC
Slenderline 20	Wall Mount Woodland Grey	9315384000081	SL20WG
Slenderline 20	Special Colour (P.O.A.)	9315384200733	SL20SPC
Ground Mt. Kit 3.3m	Classic Cream	9315384000210	GMKSL20CC
Ground Mt. Kit 3.3m	Woodland Grey	9315384000203	GMKSL20WG
Ground Mt. Kit 3.3m	Special Colour (P.O.A.)	9315384210176	GMKSL20SPC
Gr/Mt Kit Plated 3.3m	Classic Cream	9315384000234	GMKSL20PLCC
Gr/Mt Kit Plated 3.3m	Woodland Grey	9315384000227	GMKSL20PLWG
Gr/Mt Kit Plated 3.3m	Special Colour (POA)	9315384210053	GMKSL20PLSPC

Hills equivalent

Narrow space folding	3.3m x 0.6m = 19m line	9311313236125	100525 (No Gr/Mt avail.)

UNIT LINE FOLD DOWN

(Optional Plated or Ground Mount Kits available)



The Unit line is perfect for an Apartment, Balcony, garage, verandah or carport.

The Unit Line has 12 lines = 15.6m line space.
Line spacing: 6.5cm apart.

FRAME SIZE	LINE SPACE	AREA REQUIRED	SUITS
1.3mW x 0.94mD	15.6m	1.4m x 1.3m	1-2 people

PRODUCT	DESCRIPTION	APN	VPN
Unit Line	Wall Mount Classic Cream	9315384000111	UNCC
Unit Line	Wall Mount Woodland Grey	9315384000104	UNWG
Unit Line	Wall Mount Spec. Col. (P.O.A.)	9315384200818	UNSPC
Ground Mt. Kit 1.3m	Classic Cream	9315384000173	GMKUNCC
Ground Mt. Kit 1.3m	Woodland Grey	9315384000166	GMKUNWG
Ground Mt. Kit 1.3m	Special Colour (P.O.A.)	9315384210121	GMKUNSPC
Gr/Mt Kit Plated1.3m	Classic Cream	9315384000197	GMKUNPLCC
Gr/Mt Kit Plated1.3m	Woodland Grey	9315384000180	GMKUNPLWG
Gr/Mt Kit Plated1.3m	Special Colour (P.O.A.)	9315384210206	GMKUNPLSPC

Hills equivalent
No equivalent available.

INDOOR/OUTDOOR
FOLD DOWN

(Ground Mount options not available)



The Indoor/Outdoor line is a mini clothesline that allows line drying even in the smallest spaces – a great environmental choice.

The Indoor/Outdoor line has 7 lines = 8.3m line space.
Line spacing: 6.5cm apart.

FRAME SIZE	LINE SPACE	AREA REQUIRED	SUITS
1.2mW x 0.6mD	8.3m	1.3m x 0.8m	1-2 people

PRODUCT	DESCRIPTION	APN	VPN
INDOOR/OUTDPOOR	Wall Mount White	9315384202003	INDWH
	Special Colour (P.O.A.)	9315384201877	INDSPC

Hills equivalent

Indoor folding	1.2m x 0.7m = 7m line	9311313236194	105657

FOLD DOWN
GROUND MOUNT KIT OPTIONS



The Ground Mount Kit includes

- 2 upright posts and back support bar.
- Fasteners to secure Austral Fold Down.
- Optional Plated Mount Kits for fixing to hard surfaces.

Austral's new Multi-Punched Ground Mount Kit allows for flexible height adjustment

- Ideal for DIY installations.
- Retirement and tenanted facilities – where residents differ in height.
- Builder installations – where resident's height is not known.

Please note:

The back bar may be reduced in length to fit into shorter spaces during installation if required. Installer will need to cut excess off one end of back bar and drill 1 hole. The Fold Down front bar(s) will also need to be reduced in length.

GROUND MOUNT KIT

Suitable for in ground installations

Available in 1.3m, 2.4m & 3.3m lengths



Ground Mount Kit dimensions:
2430mmW x 2370mmH.
Fixing points are 2400mm C-C.
Depth will vary according to Fold Down model selected.

GROUND MOUNT KIT PLATED

Suitable for hard surface fixing i.e. cement slab or decking (if structurally suitable).
Available in 1.3m, 2.4m & 3.3m lengths



Plated Ground Mount Kit dimensions:
2500mmW x 150mmD x 1860mmH.
Post Plate dimensions: 100mmW x 150mmL x 6mm.
Fixings required: 2 x M6 x 40mm (min length) Anchor bolts for each plated Post.
Refer to Manufacturer's TDS for further information.

FOLD DOWN
GROUND MOUNT KIT OPTIONS (cont.)

2.4m GROUND MOUNT KITS are suitable for the following Fold Downs:

ADDALINE
STANDARD
COMPACT
SLENDERLINE 16

PRODUCT	DESCRIPTION	APN	VPN
Ground Mount Kit	**2.4m wide**		
	Classic Cream	9315384000135	GMKCC
	Woodland Grey	9315384000128	GMKWG
	Special Colour (P.O.A.)	9315384210268	GMKSPC
Hills equivalent:	Post Kit	9311313236156	100528

Plated Ground Mount Kit 2.4m wide (Suitable for hard surface fixing i.e. cement slab or decking (if structurally suitable).

	Classic Cream	9315384000159	GMKPLCC
	Woodland Grey	9315384000142	GMKPLWG
	Special Colour (P.O.A.)	9315384210350	GMKPLSPC
Hills equivalent:	Not Available		

3.3m GROUND MOUNT KIT is only suitable for use with the following Fold Down:

SLENDERLINE 20

PRODUCT	DESCRIPTION	APN	VPN
Ground Mount Kit SL20 3.3m wide			
	Classic Cream	9315384000210	GMKSL20CC
	Woodland Grey	9315384000203	GMKSL20WG
	Special Colour (P.O.A.)	9315384210176	GMKSL20SPC
Hills equivalent:	Not Available		
Ground Mount Kit SL20 Plated 3.3m wide			
	Classic Cream	9315384000234	GMKSL20PLCC
	Woodland Grey	9315384000227	GMKSL20PLWG
	Special Colour (P.O.A.)	9315384210053	GMKSL20PLSPC
Hills equivalent:	Not Available		

FOLD DOWN
GROUND MOUNT KIT OPTIONS (cont.)

1.3m GROUND MOUNT KIT is only suitable for the following Fold Down:

UNIT LINE

PRODUCT	DESCRIPTION	APN	VPN
Ground Mount Kit	**1.3m wide**		
	Classic Cream	9315384000173	GMKUNCC
	Woodland Grey	9315384000166	GMKUNWG
	Special Colour (P.O.A.)	9315384210121	GMKUNSPC
Hills equivalent:	Not Available		
Ground Mount Kit Plated 1.3m wide			
	Classic Cream	9315384000197	GMKUNPLCC
	Woodland Grey	9315384000180	GMKUNPLWG
	Special Colour (P.O.A.)	9315384210206	GMKUNPLSPC
Hills equivalent:	Not Available		

Multi punched Fold Down Ground Mount Kits installed at Aged Care Facility.



RETRACTAWAY CABINET



PLEASE NOTE:
Please seek advice prior to Post installations to ensure appropriate footings are used. Consideration should be given to larger concrete footing to increase Post stability for some soil types (i.e. sandy, loose or un-compacted soils etc.).

Simply pull the lines out when required and retract the lines back into the cabinet when finished.

Lines will lock into position from a minimum of 2m to a maximum of 8m (RA40) or 10m (RA50).

RetractAway 40	40m line – standard option	Min. 2m – Max. 8m.
RetractAway 50	50m line – extended length	Min. 2m – Max. 10m.

CABINET SIZE	LINE SPACE	AREA REQUIRED	SUITS
RetractAway 40 800mm*W x 125mmH x 170mmD	5 lines x 2m - 8m	1.5m wide x = up to 40m line space	1-6 people required length
RetractAway 50 800mmW x 125mmH x 170mmD	5 lines x 2m - 10m = up to 50m line space	1.5m wide x required length	1-6 people

Suggested area required: Min. of 500mm either side of Cabinet is recommended but not essential.

For further information and RetractAway Accessories please see following pages.

AUSTRAL RETRACTAWAY 40 and 50

PRODUCT DIMENSIONS

RetractAway Cabinet40/50
800mm*W x 125mmH x 170mmD **Dimension includes Tension Knob.*
Cabinet fixing points: 785mm apart

Mounting Bar: 820mm x 25mm x 25mm
M/Bar fixing points: 785mm apart

Catch: 55mmW x 38mmH x 30mmD
Catch fixing points: 32mm apart

RetractAway Post: 2300mm x 50mm x 50mm
Post fixing point: 2201mm (top bolt hole)

Plated RetractAway Post: 1790mm x 50mm x 50mm
Plated Post fixing point: 1760mm (top bolt hole)
Plate dimensions: 100mmW x 150mmL x 6mm
Plate fixing requirements: Fixings required 2 x M6 x 40mm (min length) Anchor bolt for each plated Post.
Refer to Manufacturer's TDS for further information.

PRODUCT	DESCRIPTION	APN	VPN
RetractAway Cabinet is supplied with Catch.			
RetractAway 40 Cabinet	Classic Cream	9315384000258	RA40CC
RetractAway 40 Cabinet	Woodland Grey	9315384000241	RA40WG
RetractAway 40 Cabinet	Special Colour (P.O.A.)	9315384300242	RA40SPC
Hills equivalent:	**XL Retracting Cabinet**	**9311313222340**	**100536 or 300056**
RetractAway Cabinet is supplied with Catch.			
RetractAway 50 Cabinet	Classic Cream	9315384000272	RA50CC
RetractAway 50 Cabinet	Woodland Grey	9315384000265	RA50WG
RetractAway 50 Cabinet	Special Colour (P.O.A.)	9315384300198	RA50SPC
Hills equivalent:	**Not Available**		
RetractAway Post Pack	Classic Cream	9315384000296	RAPOSTCC
RetractAway Post Pack	Woodland Grey	9315384000289	RAPOSTWG
RetractAway Post Pack	Galvanized	9315384300068	RAPOSTGAL
RetractAway Post Pack	Special Colour (P.O.A.)	9315384300297	RAPOSTSPC
Hills equivalent:	**Post Kit**	**9311313222364**	**100538 or 300075**
RetractAway Post Plated	Classic Cream	9315384000319	RAPOSTPLCC
RetractAway Post Plated	Woodland Grey	9315384000302	RAPOSTPLWG
RetractAway Post Plated	Special Colour (P.O.A.)	9315384300105	RAPOSTPLSPC
Hills equivalent:	**Not Available**		
Mounting Bar	Classic Cream	9315384000333	RAMBARCC
Mounting Bar	Woodland Grey	9315384000326	RAMBARWG
Mounting Bar	Special Colour (P.O.A.)	9315384300273	RAMBARGAL
Hills equivalent:	**Mount Bar 6**	**9311313222388**	**100540 or 300067**
Ground Socket	Black Plastic	93 15384 40008 9	
Hills equivalent:		**F9311313204766**	**100535**

AUSTRAL RETRACTAWAY 40 or 50
INSTALLATION OPTIONS

Wall to Wall
Cabinet only



Wall to Post
Cabinet
Post* x 1
Ground Socket* (optional) x 1
Ground socket to be used only if post is to be removable.



Post to Wall
Cabinet
Post* x 1
Mounting Bar x 1
Ground Socket* (optional) x 1
Ground socket to be used only if post is to be removable.



Post to Post
Cabinet
Post* x 2
Mounting Bar x 1
Ground Socket*(s) (optional)



**** Please seek advice prior to Post installations to ensure appropriate footings are used. Consideration should be given to larger concrete footing to increase Post stability for some soil types (i.e. sandy, loose or un-compacted soils).***

DISCLAIMER:
Austral cannot guarantee the stability of RetractAway Post installations due to soil variances.
Please seek advice prior to Post installation(s).

FOLDAWAY ROTARIES

Simply lift and twist to remove .....





All FoldAway Rotaries have Pre-corded Heads using Austral's own cord.

PRODUCT	DESCRIPTION / COLOUR	APN	VPN/ SUITS
FOLDAWAY 45	3.3 m head diam. /Suggested minimum area required 4mx4m		
	7 lines = 46.5 m line space		2-5 people
	Outside line length:222cm		
	Will fit standard Queen sized sheets on outside lines		
	Classic Cream	93 15384000357	FA45CC
	Woodland Grey	93 15384000340	FA45WG
	Heritage Green	93 15384100026	FA45GR
	Special Colour (P.O.A.)	93 15384100071	FA45SPC
Hills equivalent:	**Rotary 7 Hoist**	**9311313222852**	**100561**
FOLDAWAY 51	3.8 m head diam./ Suggested minimum area required 4.5mx4.5m		
	7 lines = 51m line space		2-6 people
	Outside line length: 254cm		
	Will fit standard King sized sheets on outside lines		
	Classic Cream	9315384000371	FA51CC
	Woodland Grey	9315384000364	FA51WG
	Heritage Green	9315384100019	FA51GR
	Special Colour (P.O.A.)	9315384099955	FA51SPC
Hills equivalent:	**Rotary 8 Hoist**	**9311313222838**	**100559**

A Ground Socket is supplied with each FoldAway Rotary.
The Ground Socket is also available as an Accessory.
For FoldAway Accessories see next page.
Ezy Rest Basket Holder see back page.

FOLDAWAY ROTARY ACCESSORIES

PRODUCT	DESCRIPTION	APN	VPN
PVC Cord:			
Cord 40m	Cream	9315384000388	CORD40CREAM
	Grey	9315384000418	CORD40GREY
	Suitable for all Fold Down Lines		
Cord 60m	Cream	9315384000395	CORD60CREAM
	Grey	9315384000425	CORD60GREY
	Suitable for all FoldAway Rotary Lines		
Cord 450m roll	Cream	9315384000401	CORD450CREAM
	Grey	9315384000432	CORD450GREY
	Ideal for Contractors or in-store Metre sales		



Cord 40m



Cord 60m



Cord 450m

PRODUCT	DESCRIPTION	APN	VPN
Ground Socket	Black	9315384400089	GSKT

Suitable for use with:
FoldAway 45 & 51 Rotaries and RetractAway Posts
The metal Pin may be punched through various pre-set positions to set the height of the FoldAway Rotary or the RetractAway Post.

Please see instructions for further information.



FOLDAWAY ROTARY ACCESSORIES (pg.2)

FOLDAWAY Retainer Clips

Suitable for FoldAway 45 & 51

PRODUCT	DESCRIPTION	APN	VPN
Retainer Clips 14Pk.	12 inner; 2 outer	9315384400249	FACLIP14
Retainer Clips 8 Pk.	6 inner; 2 outer	9315384400140	FACLIP8



External Clips
(for use on outside line only)



Internal Clips
(for use on all internal lines)




Old Style Clip (no longer available). Please seek advice to retro-fit new Clips to older FoldAways.

FOLDAWAY Top Cap and Cross

Suitable for FoldAway 45 & 51

PRODUCT	DESCRIPTION	APN	VPN
Top Cap and Cross	Black Plastic	9315384100354	FATOP/CROSS



FOLDAWAY Handle Assembly (complete)

Suitable for FoldAway 45 & 51; Deluxe 4 & 5; Elite 4; Special 4 Rotary and EzyFold models.

PRODUCT	DESCRIPTION	APN	VPN
Helical Handle Assembly	Black Plastic	9315384100408	FA HAND/ASS.



Front view



Rear view

SUPER
ROTARY HOISTS

Non-removable Galvanized Rotaries



SUPER ROTARIES

The Super Original Rotaries are built to last using a metal gear case, strong galvanized steel tubing and galvanised clothes line wire. The handle grip and end caps are plastic.


PRODUCT	HEAD DIAMETER	APN	VPN/ SUITS
Super 4	4m head diameter/ Suggested area required 5x5m 6 lines = 40.4m Outside line length = 282cms	9315384500185	SUPER4 4-5 people
Hills equivalent:	**Heritage Hoist 4**	**9311313201345**	**100551**
Super 5	5m head diameter/ Suggested area required 6x6m 6 lines = 50m Outside line length = 349cms	9315384 00192	SUPER5 5-6 people
Hills equivalent:	**Heritage Hoist 5**	**9311313201352**	**100552**
Super 6	6m head diameter/ Suggested area required 7x7m 7 lines = 64.5m Outside line length = 412cms	9315384500208	SUPER6 6 people +
Hills equivalent:	**Not Available**		

Accessories

Ezy Rest Basket Holder see back page.

DELUXE
ROTARY HOISTS

Non-Removable Galvanized Rotaries



DELUXE ROTARIES

The Deluxe Rotaries feature the same head section as Super Original with one piece helical column and plastic gear case.

PRODUCT	HEAD DIAMETER	APN	VPN/ SUITS
Deluxe 4	4m head diameter/ Suggested area required 5x5m 6 lines = 40.4m Outside line length = 282cms	9315384500215	DEL4 4-5 people
Hills equivalent:	**Supa A4 Hoist**	**9311313202564**	**100645**
Deluxe 5	5m head diameter/ Suggested area required 6x6m 6 lines = 50m Outside line length = 349cms	9315384500222	DEL5 5-6 people
Hills equivalent:	**Supa A5 Hoist**	**9311313202571**	**100646**

The **Special 4** has a lighter head section.
The Special 4 features 6mm Galvanized Wire Stays. This creates a lighter head section.

Special 4	4m head diameter/ Suggested area required 5x5m 6 lines = 40.4m Outside line length = 282cms	9315384500246	SPEC4 4-5 people
Hills equivalent:	**Not Available**		

Accessories
Ezy Rest Basket Holder see back page.

ELITE
ROTARY HOISTS

Non-Removable Galvanized Rotary



Elite 4

The Elite 4 is a powdercoated Deluxe 4. The Rotary features a one piece helical column and plastic gear case. It is powdercoated in Heritage Green.

PRODUCT	HEAD DIAMETER	APN	VPN/ SUITS
Elite 4	4m head diameter Suggested area required 5x5m 6 lines = 40.4m Outside line length = 282cms	93 15384 70019 6	ELITE 4-5 people
Hills equivalent:	Not Available		

Accessories
Ezy Rest Basket Holder see back page.

ROTARY HOISTS ACCESSORY

Ezy Rest Basket Holder





No more bending over to retrieve washing from a Clothes Basket on the ground!

Suitable for use with most popular Brands of FoldAway and Galvanized Rotaries (new and old models).

With the Austral Ezy Rest Basket Holder your washing will always be at a comfortable height.

- The Ezy Rest Basket Holder will easily hook onto the upright column without adjustment.
- Your laundry basket will always be at just the right height
- Made of Powdercoated Steel for durability
- 12 month Warranty

PRODUCT	DESCRIPTION	APN	VPN
Ezy Rest Basket Holder	Classic Cream	EZYCC	9315384000456
Ezy Rest Basket Holder	Woodland Grey	EZYWG	9315384000449
Ezy Rest Basket Holder	Heritage Green	EZYGR	9315384400119